

MECCANO

PRICE LIST

COMPLETE OUTFITS

No. 0 Outfit	2	8	No. 6 Outfit	25	0
No. 1 " " " " " "	3	6	No. 7 " " " " " "	30	0
No. 2 " " " " " "	5	0	No. 8 " " " " " "	55	0
No. 3 " " " " " "	7	6	No. 9c " " " " " "	80	0
No. 4 " " " " " "	10	0	No. 9w " " " " " "	105	0
No. 5 " " " " " "	15	0	No. 10 " " " " " "	231	0

MECCANO MOTORS

ELECTRIC		CLOCKWORK			
No. E1 (6-volt non-reversing) Motor	7	6	Magic Motor (non-reversing)	2	0
No. E120 (20-volt non-reversing) Motor	7	6	No. 1 " " (reversing)	4	6
No. E6 (6-volt reversing) Motor	12	9	No. 1a " " " "	6	6
No. E20b (20-volt reversing) Motor	13	6	No. 2 " " " "	9	0

ACCESSORY OUTFITS

No. 1a Accessory Outfit converts either a No. 1 Outfit or an Outfit O (Old Style) into a No. 2 Outfit	1	6
No. 2a " " " " " " " " " " " "	2	9
No. 3a " " " " " " " " " " " "	3	9
No. 4a " " " " " " " " " " " "	6	6
No. 5a " " " " " " " " " " " "	6	6
No. 6a " " " " " " " " " " " "	12	0
No. 7a " " " " " " " " " " " "	28	6
No. 8a Accessory Outfit converts a No. 8 Outfit into a No. 9 Outfit	25	0
No. 9a " " " " " " " " " " " "	110	0






The necessary parts to connect G, H and K Outfits of the alphabetical series to Nos. 8, 9 and 10 Outfits, respectively, of the numerical series, are specially boxed and are available at the following prices:—




G—8 Connecting Outfit 10/6 H—9 Connecting Outfit 23/6 K—10 Connecting Outfit 82/6









If a No. 10 Outfit Cabinet is required for the purpose of storing the parts contained in K—10 Connecting Outfit, it can be obtained separately at the price of 47/6








MECCANO PARTS

					
Perforated Strips.					
No.	12" doz.	s. d.	No.	3" doz.	s. d.
1.	12"	1 0	3.	3"	0 4
1a.	9"	0 9	4.	3"	0 3
1b.	7"	0 8	5.	2"	0 3
2.	5"	0 6	6.	2"	0 3
2a.	4"	0 5	6a.	1"	0 3
Angle Girders.					
No.	24" each	s. d.	No.	4" doz.	s. d.
7.	24"	0 7	9a.	4"	0 8
7a.	18"	0 6	9b.	3"	0 7
8.	12"	0 3	9c.	3"	0 6
8a.	9"	0 2	9d.	2"	0 5
8b.	7"	0 2	9e.	2"	0 5
9.	5"	0 1	9f.	1"	0 4

				
10.	11.	12.	12a.	12b.
Flat Brackets	Double Brackets	Angle Brackets, 1" x 1"	" " 1" x 1"	" " 1" x 1"
doz. 0 1	" " 0 3	" " 0 2	" " 0 6	" " 0 4
12c.	Obtuse Angle Brackets, 1" x 1"			
"	" " " " " "			
"	" " " " " "			

		17			
Axle Rods.					
No.	11 1/2" each	s. d.	No.	3 1/2" ... 3 for	s. d.
13.	11 1/2"	0 1	16.	2 1/2"	0 1
13a.	8"	0 1	16a.	2 1/2"	0 1
14.	6 1/2"	0 1	16b.	3"	0 1
15.	5 1/2"	0 1	17.	2"	0 1
15a.	4 1/2"	0 1	18a.	1 1/2"	0 1
15b.	4" 3 for	0 1	18b.	1"	0 1
					
19h					
19g.	Crank Handles 3 1/2", with Erinoid grip...	each	0 2		
19h.	Crank Handles 5", with Erinoid grip...	" "	0 2		
19a.	Crank Handles 3 1/2" ...	" "	0 1		
					
19a					
19a.	Wheels, 3" diam., with set-screws,	each	0 6		
20.	Flanged Wheels, 1 1/2" diam.	" "	0 3		
20b.	" " " " " "	" "	0 2		
					
20					


			
19c	20a		
			
20b	21	22	
			
22a	23	23a	
Pulley Wheels.			
No.	3" diam., with centre boss & set-screw	each	s. d.
19b.	3" diam., with centre boss & set-screw	0 4	
19c.	6" " " " " " " " "	1 9	
20a.	2" " " " " " " " "	0 3	
21.	1 1/2" " " " " " " " "	0 2 1/2	
22.	1" " " " " " " " "	0 1 1/2	
23a.	1" " " " " " " " "	0 2	
22a.	1" " without " " " " " "	each	0 1
23.	1" " " " " " " " "	" "	0 1

						
24	26	26a	26b			
No.	Bush Wheels	Pinion Wheels,	diam.,	face	each	s. d.
24.	" "	" "	" "	" "	0 2	
25.	" "	" "	" "	" "	0 4	
25a.	" "	" "	" "	" "	0 8	
25b.	" "	" "	" "	" "	0 8	
26.	" "	" "	" "	" "	0 3	
26a.	" "	" "	" "	" "	0 4	
26b.	" "	" "	" "	" "	0 5	
						
27	27a	27b				
Gear Wheels.						
27.	50 teeth to gear with 1" Pinion...	each	0 4			
27a.	57 " " " " " "	" "	0 5			
27b.	133 " " " " " (3 1/2" diam.)	1 3				
27c.	95 " " " " " (2 1/2" diam.)	0 9				

MECCANO PARTS



No.	Description	Each	Doz.	1/2 doz.
28.	Contrate Wheels, 1 1/2" diam.	0	6	3
29.	" " " "	0	4	2
30.	Bevel Gears, 1 1/2", 26 teeth	0	6	3
30a.	" " " " 16 " (Can only be used together)	0	4	2
30b.	" " " " 16 " " "	0	4	2
30c.	" " " " 1 1/2", 48 " (used together)	1	4	2
31.	Gear Wheels, 1", 38 teeth	0	8	4
32.	Worms	0	3	1 1/2



No.	Description	Each	Doz.	1/2 doz.
34.	Spanners	0	1	0 1/2
34b.	Box Spanners	0	2	1
35.	Spring Clips	box of 20	0	2
35a.	" " " "	box of 0	0	6
36.	Screwdrivers	each	0	2
36a.	" " Extra Long	each	0	3
36b.	" " Special	each	1	0
37.	Nuts and Bolts, 7/32"	box doz.	0	2
37af.	Nuts	box of 50	0	4
37bf.	Bolts, 7/32"	box of 50	0	5
37f.	Nuts and Bolts, 7/32"	each	0	8
37g.	" " " "	box of 144	1	9
38.	Washers	packet of 2	0	1
38a.	" " " "	box of 60	0	3
40.	Hanks of Cord	each	0	1 1/2




41.	Propeller Blades	each	0	2
43.	Springs	each	0	2




44.	Cranked Bent Strips	each	0	1
45.	Double Bent Strips	each	0	1



No.	Description	Each	Doz.	1/2 doz.
46.	Double Angle Strips, 2 1/2" x 1 1/2"	0	6	3
47.	" " " " 2 1/2" x 1 1/2"	0	9	4 1/2
47a.	" " " " 3" x 1 1/2"	0	10	5
48.	" " " " 1" x 1 1/2"	0	4	2
48a.	" " " " 2" x 1 1/2"	0	5	2 1/2
48b.	" " " " 3" x 1 1/2"	0	6	3
48c.	" " " " 4" x 1 1/2"	0	9	4 1/2
48d.	" " " " 5" x 1 1/2"	0	9	4 1/2
50a.	Eye Pieces, with boss	each	0	3



51.	Perforated Flanged Plates, 2 1/2" x 1 1/2" each	0	2	1
52.	" " " " 5 1/2" x 2 1/2" "	0	4	2
52a.	" " Flat Plates, 5 1/2" x 3 1/2" "	0	3	1 1/2
53.	" " Flanged Plates, 3 1/2" x 2 1/2" "	0	2 1/2	1 1/4
53a.	" " Flat Plates, 4 1/2" x 2 1/2" "	0	2	1



54a.	Perforated Flanged Sector Plates, 4 1/2" long each	0	3	1 1/2
55.	" " Strips, slotted, 5 1/2" long	0	1	0 1/2
55a.	" " Strips " " 2" "	0	0 1/2	0 1/4



57.	Hooks	each	0	0 1/2
57a.	" Scientific	each	0	1
57b.	" Loaded, large	each	0	2
57c.	" Loaded, small	each	0	1



58.	Spring Cord	40" Length	0	10
58a.	Coupling Screws for Spring Cord	each	0	0 1/2
58b.	Hooks for Spring Cord	doz.	0	4
59.	Collars with Grub Screws	each	0	1
61.	Windmill Sails	each	0	1 1/2



62.	Cranks	each	0	2
62a.	Threaded Cranks	each	0	2
62b.	Double Arm Cranks	each	0	2




63.	Couplings	each	0	4 1/2
63a.	Octagonal Couplings	each	0	8
63b.	Strip Couplings	each	0	6



63c.	Threaded Couplings	each	0	6
64.	Octagonal Couplings	each	0	1
65.	Centre Forks	each	0	1




66.	Weights, 50 grammes	each	0	9
67.	" 25 "	each	0	8
68.	Woodscrews, 1"	doz.	0	3
69.	Set Screws	each	0	2
69a.	Grub Screws, 5/32"	each	0	2 1/2
69b.	" " 7/32"	each	0	3
69c.	" " 5/64"	each	0	2



70.	Perforated Flat Plates, 5 1/2" x 2 1/2"	each	0	2 1/2
72.	" " " " 2 1/2" x 2 1/2"	each	0	1 1/2
73.	" " " " 1" x 1 1/2"	each	0	1 1/2




76.	Perforated Triangular Plates, 2 1/2" each	0	2	1
77.	" " " " 1" "	0	1	0 1/2




Screwed Rods.				
78.	1 1/4"	each	0	8
79.	8"	each	0	5
79a.	6"	each	0	4
80.	5"	each	0	3
80a.	3 1/2"	each	0	3
80b.	4 1/2"	each	0	3
80c.	3"	each	0	3
81.	2"	each	0	0 1/2
82.	1"	each	3	for 0 1



89.	5 1/2" Curved Strips, 10" radius	each	0	2
89a.	3" " " " " cranked, 1 1/2" radius, 4 to circle	each	0	2
89b.	4" Curved Strips, cranked, 4 1/2" radius, 8 to circle	each	0	2
90.	2 1/2" Curved Strips, 2 1/2" radius	each	0	1
90a.	2 1/2" " " " " cranked, 1 1/2" radius, 4 to circle	each	0	1



94.	Sprocket Chain	40" length	0	6
-----	----------------	------------	---	---




95.	Sprocket Wheels, 36 teeth, 2" diam.	each	0	5
95a.	" " 28 " 1 1/2" "	each	0	4
95b.	" " 56 " 3" "	each	0	6
96.	" " 18 " 1" "	each	0	3
96a.	" " 14 " 1" "	each	0	2



97.	Braced Girders, 3 1/2"	doz.	0	9
97a.	" " " " 3" "	doz.	0	8
98.	" " " " 2 1/2" "	doz.	0	8
99.	" " " " 1 1/2" "	doz.	0	6
99a.	" " " " 1" "	doz.	0	2
99b.	" " " " 7/8" "	doz.	0	2
100.	" " " " 5/8" "	doz.	0	1
100a.	" " " " 1/2" "	doz.	0	10



101.	Healds, for looms	doz.	0	3
102.	Single Bent Strips	each	0	1



103.	Flat Girders, 5 1/2"	doz.	0	10
103a.	" " 9"	doz.	0	12
103b.	" " 12"	doz.	0	13
103c.	" " 4"	doz.	0	9
103d.	" " 3 1/2"	doz.	0	7
103e.	" " 3"	doz.	0	6
103f.	" " 2 1/2"	doz.	0	5
103g.	" " 2"	doz.	0	4
103h.	" " 1 1/2"	doz.	0	4
103i.	" " 1"	doz.	0	1



104.	Shuttles, for looms	each	5	0
105.	Reed Hooks, for looms	each	0	4


MECCANO PARTS




No.	Description	each	s.	d.
106.	Wood Rollers	1	0	
106a.	Sand Rollers	1	3	
107.	Tables, for designing machines	1	6	



108.	Architraves	each	0	1 1/2
109.	Face Plates, 2 1/4" diam	"	0	3



No.	Description	each	s.	d.
110.	Rack Strips, 3 1/2" long	0	2	
110a.	" "	0	3	
111.	Bolts, 1/2"	doz.	0	3
111a.	" "	"	0	2
111c.	" "	"	0	1



113.	Girder Frames	each	0	3
114.	Hinges	"	0	2



115.	Threaded Pins	each	0	2
116.	Fork Pieces, large	"	0	2
116a.	" " small	"	0	2
117.	Steel Balls, 1/2" diam.	"	0	0 1/2



118.	Hub Discs, 5 1/4" diam.	each	1	0
------	-------------------------	------	---	---



120.	Buffers	each	0	2
120a.	Spring Buffers	"	0	3



No.	Description	each	s.	d.
120b.	Compression Springs	0	1	
121.	Train Couplings	0	1	
122.	Miniature Loaded Sacks	0	1 1/2	



123.	Cone Pulleys	each	1	0 1/2
124.	Reversed Angle Brackets, 1"	doz.	0	4 1/2
125.	" "	"	0	2 1/2



126.	Trunnions	each	0	1 1/2
126a.	Flat Trunnions	"	0	1




127.	Simple Bell Cranks	each	0	1
128.	Boss Bell Cranks	"	0	3



129.	Rack Segments, 3" diam.	each	0	6
130.	Eccentrics, Triple Throw	"	1	0
131.	Dredger Buckets	"	0	2



132.	Flywheels, 2 1/4" diam.	each	2	0
133.	Corner Brackets, 1 1/4"	"	0	1
133a.	" " 1"	"	0	1



134.	Crank Shafts, 1" stroke	each	0	1
135.	Theodolite Protractors	"	0	2
136.	Handrail Supports	"	0	3
136a.	" Couplings	"	0	4




No.	Description	each	s.	d.
137.	Wheel Flanges	0	2	
138.	Ships' Funnels	0	3	
138a-2.	" " Raked	0	9	



139.	Flanged Brackets (right)	each	0	2
139a.	" (left)	"	0	2
140.	Universal Couplings	"	0	8
141.	Wire Lines (for suspending clock weights)	"	0	9




142.	Rubber Rings, to fit 3" diam. rim	each	0	3
142a.	Motor Tyres (to fit 2" diam. rims)	"	0	3
142b.	" " 3"	"	0	6
142c.	" " 1"	"	0	1
142d.	" " 1 1/2"	"	0	2
143.	Circular Girders, 5 1/2" diam.	"	0	8
144.	Dog Clutches	"	0	4




145.	Circular Strips, 7 1/2" diam. overall	each	0	10
146.	" Plates, 6"	"	0	6
146a.	" " 4"	"	0	3



147.	Pawls, with Pivot Bolt and Nuts	each	0	3
147a.	Pawls	"	0	2
147b.	Pivot Bolts with 2 Nuts	"	0	1
147c.	Pawls, without boss	"	0	1
148.	Ratchet Wheels	"	0	4
149.	Collecting Shoes for electric locos	"	1	3



No.	Description	each	s.	d.
150.	Crane Grabs	0	6	
151.	Pulley Blocks, Single Sheave	0	7	
152.	" " Two	"	0	8
153.	" " Three	"	0	9
154a.	Corner Angle Brackets, 1/2" (right hand)	"	0	0 1/2
154b.	Corner Angle Brackets, 1/2" (left hand)	"	0	0 1/2
155.	Rubber Rings (for 1" Pulleys)	"	0	1
155a.	" " (white)	"	0	0 1/2
156.	Pointers (with boss), 2 1/2" overall	"	0	4



157.	Fans, 2" diam.	each	0	3
158a.	Signal Arms, Home	"	0	5
158b.	" " Distant	"	0	5




160.	Channel Bearings, 1 1/4" x 1" x 1/4"	each	0	2
161.	Girder Brackets, 2" x 1" x 1/4"	"	0	1 1/2
162.	Boilers, complete with Ends	"	0	9
162a.	Boiler Ends	"	0	2
162b.	" without Ends	"	0	5
163.	Sleeve Pieces	"	0	1 1/2
164.	Chimney Adaptors	"	0	2




160.	Channel Bearings, 1 1/4" x 1" x 1/4"	each	0	2
161.	Girder Brackets, 2" x 1" x 1/4"	"	0	1 1/2
162.	Boilers, complete with Ends	"	0	9
162a.	Boiler Ends	"	0	2
162b.	" without Ends	"	0	5
163.	Sleeve Pieces	"	0	1 1/2
164.	Chimney Adaptors	"	0	2

† The Series includes 26 Funnels in the correct design and colours of leading shipping companies

MECCANO PARTS




No.	Description	each	s.	d.
165.	Swivel Bearings ..	each	0	6
166.	End ..	"	0	3
167.	Geared Roller Bearings ..	"	20	0
167a.	Roller Races, geared, 192 teeth ..	"	4	6



167b.	Ring Frames for Rollers ..	each	3	0
167c.	Pinions for Roller Bearings, 16 teeth ..	"	1	0
168.	Ball Bearings, 4" diam.	"	3	0
168a.	" Races, flanged disc.	"	0	6
168b.	" " toothed ..	"	0	9
168c.	" Casings, complete with balls ..	"	1	9
169.	Digger Buckets ..	"	1	6




170.	Eccentrics, 1/2" throw ..	each	0	9
171.	Socket Couplings ..	"	0	9
172.	Pendulum Connections ..	"	0	1



173.	Rail Adaptors ..	pair	0	6
174.	Grease Cups ..	each	0	3



175.	Flexible Coupling Units ..	each	0	6
176.	Anchoring Springs for Cord ..	"	0	1



No.	Description	each	s.	d.
177.	Shafting Standards, large ..	each	1	0
178.	" " small ..	"	0	8
179.	Rod Sockets ..	"	0	3
180.	Toothed Gear Rings, 3 1/2" diam. (133 external teeth) (95 internal) ..	"	1	0
181.	Bobbins ..	"	0	4
182.	Insulating Bushes ..	doz.	0	4
182a.	Insulating Washers ..	"	0	3
183.	Lamp Holders ..	each	0	3
184a.	Lamps, 2 1/2-volt.	"	0	5
184b.	" 3 1/2-volt.	"	0	6
184c.	" 6-volt ..	"	0	7
184d.	" 10-volt ..	"	0	8
184e.	" 20-volt ..	"	0	9




185.	Steering Wheels, 1 1/2" diam.	each	0	5
186.	Driving Bands, 2 1/2" (light) ..	doz.	0	3
186a.	" " 6" ..	each	0	0 1/2
186b.	" " 10" ..	"	0	0 1/2
186c.	" " 10" (heavy) ..	"	0	1
186d.	" " 15" ..	"	0	2
186e.	" " 20" ..	"	0	2
187.	Road Wheels ..	"	0	3




197



188.	Flexible Plates, 2 1/2" x 1 1/2" ..	doz.	0	6
189.	" " 5" x 1" ..	"	1	0
190.	" " 2" x 2" ..	"	0	9
191.	" " 4" x 2" ..	"	1	3
192.	Strip Plates, 2 1/2" x 2 1/2" ..	each	1	9
193.	" " 3" x 2" ..	"	0	2
194.	" " 3 1/2" x 2" ..	"	0	2 1/2
195.	" " 5" x 2" ..	"	0	3
196.	" " 9" x 2" ..	"	0	4
197.	" " 12" x 2" ..	"	0	5
198.	Hinged Flat Plates, 4 1/2" x 2 1/2" ..	"	0	6



No.	Description	each	s.	d.
199.	Curved Plates, U-Section ..	each	0	1
200.	" " 1 1/2" radius ..	"	0	1



201.	Lamps with Flex, 3 1/2-volt ..	each	0	8
202.	Angle Brackets (for Headlamps) ..	"	0	1
203.	Headlamps ..	"	0	4
203a.	Headlamp Rim ..	"	0	2
203b.	" Body ..	"	0	2
204.	" Nuts ..	doz.	0	3
205.	" Glasses (Green, Plain or Red) ..	"	0	4
206.	Lampshades ..	each	0	3
207.	Lamp Bases ..	"	0	3
207a.	Lamp with Standard and Flex ..	"	1	0
208.	Battery Tags with Studs ..	"	0	2
208a.	Washers for Battery Studs ..	doz.	0	1
210.	Nuts ..	"	0	9



211a & 211b

211a.	Helical Gears 1/2" (Can only be used together) ..	each	0	9
211b.	Helical Gears 1/2" (used together) ..	"	2	0



212.	Rod and Strip Connectors ..	each	0	1
213.	Rod Connectors ..	"	0	1



214

214.	Semi-Circular Plates ..	each	0	1 1/2
------	-------------------------	------	---	-------



215

No. 215.	Formed Slotted Strips, 3" ..	each	0	1
----------	------------------------------	------	---	---



216

216.	Cylinders, 2 1/2" ..	each	0	3
------	----------------------	------	---	---



217a



217b

217a.	Discs, 1 1/2" ..	doz.	0	6
217b.	" " ..	"	0	2
219.	Wheel Discs ..	each	0	1
A1083	Drifts ..	"	0	1

Meccano Lighting Set

It is great fun to illuminate your Meccano models by electric light, and a special Meccano Lighting Set can be obtained from your dealer for this purpose. This consists of two spot lights, one stand lamp, two special brackets, and two pea lamps, operated from a 4-volt flashlamp battery (not included in the Set). Price 3/-.

Prices of Meccano Manuals

No.	Manual	each	s.	d.
No. 0	Manual ..	each	0	2
No. 1	" ..	"	0	3
No. 2	" ..	"	0	4
No. 3	" ..	"	0	5
No. 4	" ..	"	0	6
No. 5	" ..	"	1	0
No. 6	" ..	"	1	3
No. 7/8	" ..	"	1	6
No. 9/10	" ..	"	6	0
No. 1a	" ..	"	0	3
No. 2a	" ..	"	0	3
No. 3a	" ..	"	0	3
No. 4a	" ..	"	0	4
No. 5a	" ..	"	0	5
No. 6a	" ..	"	0	6

Each main Outfit Manual up to and including No. 6 contains full instructions for building the models in all earlier Manuals. For example, No. 3 Manual contains instructions for building all the models shown in the Manuals for Outfits 0, 1, 2 and 3.

MECCANO LIMITED

— BINNS ROAD

— LIVERPOOL 13

— ENGLAND